usosM 門鄭 室3數字4裏大業工大富融£42路無大士並慕門鄭 wesoM, FrieTu7", bril bF 254 SistoM 9b usis930-V.A 7771 7582 (528): l9T 話電

> 香港 Hong Kong 香港九龍九龍鴻區樂街8號商業廣場74 V/F, Corporation Square, 8 Lam Lok Street, Kowloon Bay, Kowloon, Hong Kong 電話 Tel : (852) 2427 8484

維修服務中心 Service Centers:

華縣類及關事縣 全國 (Apple 28 Showroom : 20/F. Cityplaza One, 1111 King's Road, Alfoo Shing, Hong Kong Special (Stale 18 (Stale 19) 1210 0555

同公別声(悉香) 基實 (日公別年) Limited Mong Kong) Limited



http://hk.mitsubishielectric.com

粉 縣 莊 辮 雷 養 三

Changes for the Better





三菱電機抽濕機











商識融 Distributor:

衣物乾濕 MOVE EYE 一睇就知

M.VE EYE The MOVE EYE can tell with just an easy glance

三菱電機 MOVE EYE 抽濕機,智能 偵察衣物乾濕,集中處理未乾衣物; 加上感測範圍廣闊、3D 立體送風,足以 應付大量乾衣需求,既省時又慳電。

MOVE EYE dehumidifier from Mitsubishi Electric can intelligently detect the laundry humidity then focus on drying the wet clothes! With wide range sensing, it is able to handle large quantity of laundry items, saving time and money.





3D 立體送風

3D Wide Angle Louvre





MOVE EYE 抽濕機配備 3D 立體廣角送風板,能上下 150° 及 左右 100° 大範圍送風,而且出風口風力集中,加快乾衣!

With 3D Wide Angle Louvre, MOVE EYE dehumidifier can deliver airflow in 150° vertically and 100° horizontally to cover a wide range of area. Besides, airflow is focused at the outlet to intensify drying!

乾 衣 程 序 Laundry Drying Process 開始進行乾衣



辨認清洗後衣物的位置 Identify the location of laundry items



只向清洗後衣物的所在範圍送風 Only blow the area with laundry items

操作過程中保持偵察 Keep sensing during operation



找出未乾衣物的位置 Locate those parts that are not dried

集中處理未乾衣物 Focus on drving the wet clothes



集中向未乾衣物送風

浴室防霉# 保持浴室清爽 Bathroom Mildew Guard



可於使用浴室後,抽乾室內殘留的濕氣或 水滴,有助抑制霉菌生長。

Dehumidify the bathroom to remove residual moisture and water drops, thus assisting in suppressing the mildew growth.



簡易濕控模式 一按舒適 Easy Dehumidifying Mode

能根據室溫自動調節一個舒適的濕度。 (此功能只能調節室內濕度而非溫度)

Automatic adjustment of humidity level according to indoor temperature. (This function can only control indoor humidity not temperature.)

自動抽濕調節 多種濕度選擇

Auto Humidistat

內置自動濕度調節器,備有多個濕度水平 選擇,以配合個人對室內濕度的不同需要。

Built-in Auto Humidistat maintains constant room humidity with a selection of different preset humidity levels, which is made to suit individual needs.



內部除濕功能 抑制機內發霉 **Drying Inside**

內部除濕功能有助保持抽濕機內部 乾爽,以抑制霉菌滋生。

The Drying Inside function serves to suppress the growth of mildew inside the machine by removing the moisture inside.



潮濕引起霉菌 Humidity causes mildew inside the machine



Drying Inside function keeps it dry and clean

霉菌防護# 保持居室乾爽 Mildew Guard

每天一次自動抽濕,保持降低室內濕度,有助 抑制霉菌生長。

Lower humidity level automatically once a day, assisting in suppressing mildew growth.

由廠方以相對濕度 50% 連續運行 4 小時的狀態下進行測試,可抑制約 80% 霉菌生長。 Under the condition of RH 50% and operates for 4 hours, factory reported mildew growth can be reduced by 80%.

^{*}熱能影像顯示溫度差異 Thermograph image shows the temperature differences

銀離子濾網△ 有效淨化空氣

Effective Air Purifying by Silver Ion Filter



銀離子濾網可有效隔濾花粉及過敏原入侵, 配合空氣淨化功能,有效保持室內空氣清新, 保障家人健康。濾網在正常情況下可循環使用 兩年,既方便又經濟。

The silver ion filter can filter pollen and dust particles and prevent allergen invasion. Together with the air-purifying function, it helps to keep the air fresh and clean, thus safeguarding your family's health. The filter can be reused for 2 years under normal circumstance.

△ 由日本信州大學,以 ELISA 使用塵蟎過敏原進行測試。 Shinshu University's mite removal rate measurement using ELISA method.

智能、夜間乾衣 簡便寧靜 Intelligent & Night Laundry


「智能乾衣」模式在監測房間濕度的同時控制風量,估計 衣物乾燥時間並自動停止運轉,操作簡便兼節省能源。 「夜間乾衣」模式運轉時較為寧靜,適合晚間使用。

Intelligent Laundry mode controls the airflow rate by monitoring humidity of the room, estimates when the clothes will dry and stops operation automatically, saving more energy. Night Laundry mode, with lower operation noise level, is perfect for laundry at night.




多角度送風 配合不同需要 Multi-way Adjustable Louvre

各型號配備不同的送風角度。 Louvre angles vary with different models.



150° 廣角送風 Wide: 能對整個房間進行抽濕 Dehumidify the entire room with equal coverage all around



90° 向上送風 Upward 快速乾衣最佳風向 Most ideal for speedy laundry drying



80° 向前送風 Front 適宜對衣櫃進行抽濕 Suitable for applying airflow to closets or wardrobes


7 種操作模式 9 (簡易抽濕、設定濕度 弱、低溫運轉、霉菌防護

智能乾衣、空氣淨化)

(廣角、向上及向後送風)

7 operating modes

3.8L water tank



向下送風(手動) Downward (Manual): 適宜對地氈及地板進行抽濕 Effective for drying carpets and floor-boards





- 3D 立體送風 🗢 4個順滑腳輪◎
- 3.0 公升集水箱 9
- 5 operating modes (High, Low, Auto, MOVE EYE Laundry, Bathroom Mildew Guard)
- 3D wide angle louvre 4 easy-roll casters o
- 3.0L water tank



顏色Color:銀白色 Silver White

MJ-E85EF-H

抽濕能力 (公升/日) Dehumidifying Capacity (L/Day)

14.5 8.5 廠方標準 能源標筋標準 MEELS Standard (26.7°C, 60%)

(30°C, 80%)

(Easy Dehumidifying, Auto, Low, Low Temp., Mildew Guard, Intelligent Laundry, Air Purifier) 日本製造 3 directions louvre (Wide, Upward and Rear) 4 easy-roll casters -



顏色Color:銀米色 Silver Beige

14.0

廢方標準

MJ-E82GH-H

抽濕能力 (公升/日)

Dehumidifying Capacity (L/Day)

8.2

能源標籤標準

MEELS Standard (26.7°C, 60%)

○7 種操作模式 (簡易抽濕、設定濕度、強、弱、

- 浴室防霉、智能乾衣、夜間乾衣) ♥4 種風向選擇
- (廣角、向上、向後及向下送風)
- ○獨立空氣淨化功能 □LCD 顯示屏特設背光燈
- △4.7 公升集水箱
- 7 operating modes (Easy Dehumidifying, Auto, High, Low, Bathroom Mildew Guard, Intelligent Laundry, Night Laundry)
- 4 directions louvre (Wide, Upward, Rear and Downward)
- Independent air purifying function
- LCD display with backlight
- 4.7L water tank



抽濕能力 (公升/日) midifying Capacity (L/Day)

15.2 25.0 廠方標準 能源標籤標準 MEELS Standard (26.7°C, 60%)







顏色Color: 粉紅珍珠 Sakura Pearl


☞7 種操作模式 (簡易抽濕、設定濕度、強、弱、 浴室防霉、智能乾衣、夜間乾衣)

- ♥4 種風向選擇 (廣角、向上、向後及向下送風)
- ○獨立空氣淨化功能
- □LCD 顯示屏特設背光燈 △4.7 公升集水箱
- 7 operating modes (Easy Dehumidifying, Auto, High, Low, Bathroom Mildew Guard,
- Intelligent Laundry, Night Laundry) 4 directions louvre (Wide, Upward, Rear and Downward)
- Independent air purifying function
- LCD display with backlight
- 4.71 water tank



額色Color:粉紅珍珠 Sakura Pearl





配備兩種尊貴顏色選擇,擺放居室之中,不僅是 抽濕機,更是你的品味收藏。

The compact design is a masterpiece of aesthetic simplicity with a sharp linear flow. Together with two premium colors, it complements your sitting room not only as a dehumidifier, but also as a work of art.

MJ-EV200FJ-H

抽濕能力(公升/日) Dehumidifying Capacity (L/Day)

33 廠方標準 Manufacturer's Standard

20 能源標籤標準 MEELS Standard







- ECO 自動節能模式
- ☞ 獨立空氣淨化功能
- 5.2 升大容量水箱
- 時尚 LCD 顯示屏
- 揭蓋式排水裝置
- ECO Auto Mode
- Independent Air Purifying Function
- 5.2L Water Tank
- Trendy LCD Display
- New Drainage Outlet Design

三菱電機 首部變頻抽濕機

The First Inverter Dehumidifier from Mitsubishi Electric

抽濕技術上之重大突破!三菱電機首度引進變頻技術,抽濕機能配合濕度 變化調整壓縮機轉速。壓縮機先以高速啟動,當達到設定濕度後自動減速, 穩定運轉,造就節能、寧靜之優點,實為智慧之極致體現。相反,定速抽濕機 只能靠斷續開關壓縮機來應付濕度變化,相對上較為耗電且欠穩定。

For the first time ever Mitsubishi Electric integrates inverter technology into a dehumidifier to adjust the compressor speed as the humidity level changes. First, the compressor starts at a high speed, when the humidity reaches the desired level it slows down automatically and operates steadily. This helps to save energy and runs the unit more quietly. By contrast, a fixed-speed dehumidifier can only switch the compressor on and off intermittently in response to humidity variation, which consumes more energy and creates unstable operation.

濕度 Humidity(%) (示意圖 Illustration) 設定温度 humidity 電力消耗 電力消耗 電力消耗 電力消耗 變頻 Inverter

時間 Time

♥頻壓縮機(緩速穩定運轉,節省電力) Inverter Compressor (slow and stable operation saves electricity)

☞ 定速壓縮機 (斷續開關,十分耗電) Fixed-speed Compressor (switches on and off intermittently, wasting electricity)

變頻表現更穩定、更省電* Inverter Technology Brings Greater Stability and Energy Savings





全新變頻抽濕機,配合頂尖科技智慧,令抽濕效能全面升級,耗電 更少、威力更大,從而縮短乾衣時間,抽濕事半功倍;新增 ECO 自動節能模式,加倍省電,輕易成為新一代環保典範。

Applying top-notch technology, the new Inverter Dehumidifier underwent a full upgrade of its overall performance. It uses less electricity but more powerful, higher efficiency and shorter laundry drying time. The newly added ECO AUTO mode saves more energy, making it the new generation of environmentally friendly machine.

□抽濕功能全面比較 Comparison of Dehumidifying Performance

	定速抽濕機 Fixed-speed Dehumidifier MJ-E140DX-H (25L ⁴)	變頻抽濕機 Inverter Dehumidifier MJ-EV200FJ-H (33L ⁴)	變頻表現 Inverter Performance	
節能表現 ¹ Energy-Saving Performance	一般自動模式 AUTO Mode 320 瓦時 / Wh	ECO 自動節能模式 ECO AUTO Mode 240 瓦時 / Wh	省電25%! 25% Energy Saved	
抽濕效能 ² Dehumidifying Efficiency (使用強模式)(in HIGH Mode)	143.8 瓦時 / Wh	118.5 瓦時 / Wh	省電17%! 17% Energy Saved	
乾衣時間 ⁵ Drying Time (使用智能乾衣模式) (in Intelligent Laundry Mode)	70 分鐘 / mins	49 分鐘 / mins	快21分鐘! 21mins Faster	

- 1 於 21.5 平方米房間測試、室溫 30°C,計算出 相對濕度 50% 運行 60 分鐘的耗電量。 Tested in a 21.5 sq.m room at 30°C, calculated power consumption around RH 50% for 60 mins.
- ² 於 13.2 平方米房間測試,室溫 25°C,相對濕度 90%下降到 50%所量得的總耗電量。 Tested in a 13.2 sq.m room at 25°C, the total power consumption of lowering RH from 90% to 50%.
- 3 測試條件:面積 10 平方米房間,室溫 20°C,相對濕度 70%,2 公斤衣物。 Under conditions of: 10 sq.m room at 20°C, RH 70%, 2kg load of laundry.
- ⁴ 廠方標準 (公升 / 日)。 Manufacturer's Standard (L / Day).

conditions.

5 上述為廠方提供的測試結果,以上結果根據不同環境情況會有所差異。 The above testing results are provided by factory, and may vary depending on different environmental

5.2 升大容量水箱

5.2L Water Tank

比 25 公升型號水箱容量大幅增加 10%, 每當潮濕季節,省卻頻繁的倒水工夫, 令家務更加輕鬆惬意。

Compared to the 25L model, the new tank capacity has been increased by 10%. During the humid season, this saves you time and effort to discharge water, making housework easier.



銀離子濾網△

Effective Air Purifying by Silver lon Filter



有效隔濾花粉及過敏原入侵,配合空氣淨化功能,令室內空氣持久清新, 締造健康家居生活。濾網在正常情況下可循環使用兩年,既方便又經濟。

The silver ion filter can filter pollen and dust particles and effectively prevent allergen invasion. Together with the air-purifying function, it helps keeping the air fresh and clean to safeguard your family's daily life. The filter can be reused for 2 years under normal circumstance.

△ 由日本信州大學,以 ELISA 使用塵蟎過敏原進行測試。
Shinshu University's mite removal rate measurement using ELISA method.

新一代揭蓋式排水裝置 All New Drainage Outlet Design

特設揭蓋式排水蓋,集美觀實用於一身使用連續排水功能更隨意、更方便。

The new drainage outlet design combines beauty and functionality, featuring continuous drainage function that makes your life easier and more convenient.



時尚 LCD 顯示屏 Trendy LCD Display

加設背光燈於 LCD 顯示屏,清晰顯示抽濕 模式和濕度高低,各種資料一目了然。

A new back-lit LCD screen clearly displays different dehumidifying modes, humidity levels and more at a glance.



產品規格 Specifications

		/						107	
規	型號 Model 格 Spec.		型號 Model	MJ-E85EF-H	MJ-E82GH-H	MJ-E130AL-H	MJ-E152AK-H	MJ-EV200FJ-H	
	濕能力 (公升/日)* humidifying pacity (L/Day)*		30°C, 80%	14.5	14	22.5	25	33	
			26.7°C, 60%	8.5	8.2	13	15.2	20	
能	能源標籤 Energy Label			1級 Grade 1					
變	變頻式控制 Inverter Control			-	-	-	-	✓	
內	內部除濕 Drying Inside			✓	✓	✓	✓	✓	
	設定濕度 Auto			50% / 60% / 70%	50% / 55% / 60% / 65% / 70% -			-	
ng	ECO 自動館	節能 ECC	O Auto	-	-	-	-	50% / 55% / 60% / 65% / 70%	
idifyi	簡易抽濕 Easy Dehumidifying		humidifying	-	✓	✓	✓	✓	
Dehumidifying	強 High			✓	-	✓	✓	✓	
抽濕 De	弱 Low			✓	✓	✓	✓	✓	
無	低溫運轉 Low Temp.		mp.	-	✓	-	-	-	
	霉菌防護 Mildew Guard		Guard	浴室防霉 Bathroom Mildew Guard	✓	浴室防霉 Bathroom Mildew Guard			
			EYE	✓	- 1	-	-	-	
乾			ntelligent	-	✓	✓	✓	✓	
		夜間N	Night	-	-	✓	✓	-	
空	空氣淨化 Air Purifier			✓	獨立按鈕 Specified Button				
空	空氣濾網 Filter			銀離子濾網 Silver Ion Filter					
送風板 Louvre				立體送風 3D Auto Swing	廣角、向上、向後 Wide, Upward, Rear			廣角、向上、向後 Wide, Upward, Rear	

型號 Model 規格 Spec.		MJ-E85EF-H	MJ-E82GH-H	MJ-E130AL-H	MJ-E152AK-H	MJ-EV200FJ-H	
液晶體操作面板 LCD Control Panel		✓	✓	✓ 背光燈 Backlight			
活動腳輪 Casters		單向推動 Single Direction		360° 轉動 360° Rotation			
集水箱容量 (公升) Water Tank Capacity (L)		3.0	3.8	4.7	4.7	5.2	
時間掣 Timer		1-9 小時自動開/關 1-9 hours On/Off					
兒童安全鎖 Child Lock	兒童安全鎖 Child Lock		✓	1	✓	✓	
防滴水裝置 Drip Guard	防滴水裝置 Drip Guard		✓	✓	✓	✓	
連續排水 Continuous	連續排水 Continuous Drainage		✓	1	✓	✓	
低溫指示 Cold Sign	低溫指示 Cold Sign		✓	✓	✓	-	
電源 Power Supply		220V (50Hz)					
電力消耗 (瓦) Power	30°C, 80%	250	240	290	340	520	
Consumption (W)	26.7°C, 60%	220	210	240	275	395	
冷卻劑 Refrigerant		R134a					
操作溫度範圍 Operation Temp. Range		7°C - 35°C	1°C - 35°C	5°C - 35°C	5°C - 35°C	5°C - 35°C	
機身顏色 Cabinet Color		銀白色 Silver White	銀米色 Silver Beige	粉紅珍珠 Sakura Pearl	粉紅珍珠 Sakura Pearl	淡雅金 / 瑰麗啡 Elegant Gold / Serene Brown	
體積 (高X闊X深) (毫米) Dimensions (HxWxD) (mm)		534 x 360 x 210	589 x 384 x 187	594 x 372 x 281	594 x 372 x 281	594 x 372 x 299	
淨重 (千克) Net Weight (kg)		13.0	11.7	14.4	14.7	16.5	

^{* 30°}C, 80% 為廣方標準。26.7°C, 60% 為能源標驗標準。 30°C, 80% is the Manufacturer's Standard. 26.7°C, 60% is the MEELS Standard. 規格如有任何更改,恕不另行通知。 Design and specifications are subject to change without prior notice. 由於印刷關係,產品顏色可能與實物略有不同。 The colours of product shown are approximate, and may differ from the actual colours.